

## EAST Search History

| Ref # | Hits | Search Query  | DBs             | Default Operator | Plurals | Time Stamp       |
|-------|------|---|-----------------|------------------|---------|------------------|
| L2    | 10   | (US-20050132031-\$ or US-20080235372-\$ or US-20050289065-\$ or US-20050283445-\$ or US-20040199793-\$).did. or (US-7426738-\$ or US-7315826-\$ or US-7024431-\$ or US-7292537-\$ or US-7076547-\$).did.  | US-PGPUB; USPAT | OR               | ON      | 2008/12/07 11:42 |
| L3    | 10   | l2 and aggregat\$4  | US-PGPUB; USPAT | OR               | ON      | 2008/12/07 11:42 |
| L4    | 6    | l2 and ((updat\$4 renew\$4 chang\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))  | US-PGPUB; USPAT | OR               | ON      | 2008/12/07 12:08 |
| L5    | 6    | l2 and ((replac\$4 updat\$4 renew\$4 chang\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))  | US-PGPUB; USPAT | OR               | ON      | 2008/12/07 12:08 |
| L6    | 362  | (measur\$4 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with aggregat\$4) and ((replac\$4 updat\$4 renew\$4 chang\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))   | US-PGPUB; USPAT | OR               | ON      | 2008/12/07 12:49 |
| L7    | 100  | "709"/\$.ccls. and (measur\$5 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with aggregat\$4) and ((replac\$4 updat\$4 renew\$4 chang\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))                        | US-PGPUB; USPAT | OR               | ON      | 2008/12/07 12:50 |
| L8    | 87   | "709"/\$.ccls. and (measur\$5 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with aggregat\$4) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4)) | US-PGPUB; USPAT | OR               | ON      | 2008/12/07 13:08 |

## EAST Search History

|     |      |   |                 |    |    |                  |
|-----|------|---|-----------------|----|----|------------------|
| L9  | 330  | (measur\$5 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with aggregat\$4) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4))  | US-PGPUB; USPAT | OR | ON | 2008/12/07 13:08 |
| L10 | 68   | "707"/\$.ccls. and (measur\$5 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with aggregat\$4) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4))   | US-PGPUB; USPAT | OR | ON | 2008/12/07 13:09 |
| L11 | 4    | I8 not I7   | US-PGPUB; USPAT | OR | ON | 2008/12/07 13:11 |
| L12 | 247  | I9 not I7   | US-PGPUB; USPAT | OR | ON | 2008/12/07 13:12 |
| L13 | 56   | I10 not I7  | US-PGPUB; USPAT | OR | ON | 2008/12/07 13:13 |
| L14 | 191  | I9 not I7 not I10   | US-PGPUB; USPAT | OR | ON | 2008/12/07 13:18 |
| L15 | 4062 | (measur\$5 with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4) with (table list listing database))   | US-PGPUB; USPAT | OR | ON | 2008/12/07 13:23 |
| L16 | 252  | ("709"/\$ "707"/\$.ccls. and (measur\$5 with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4) with (table list listing database)) and ((delet\$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code)) | US-PGPUB; USPAT | OR | ON | 2008/12/07 13:25 |

## EAST Search History

|     |    |  |   |    |    |                  |
|-----|----|--|---|----|----|------------------|
| L17 | 29 | ("709"/\$ "707"/\$).cccls. and (measur\$5 with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4) with (table list listing database)) same ((delet\$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))   | US-PGPUB; USPAT                             | OR | ON | 2008/12/07 13:26 |
| L18 | 75 | (qos sla (quality adj2 service) (service adj3 level)) and ((monitor\$4 measur\$5) with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4) with (table list listing database)) same ((delet\$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code)) | US-PGPUB; USPAT                             | OR | ON | 2008/12/07 13:29 |
| L19 | 28 | (qos sla (quality adj2 service) (service adj3 level)) and ((monitor\$4 measur\$5) with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with compar\$4 with (table list listing database)) same ((delet\$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))                               | US-PGPUB; USPAT                             | OR | ON | 2008/12/07 13:36 |
| L20 | 39 | ((monitor\$4 measur\$5) with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with compar\$4 with (table list listing database)) same ((delet\$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))   | US-PGPUB; USPAT                             | OR | ON | 2008/12/07 13:45 |
| L21 | 11 | L20 not L19  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/07 13:47 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| L22 | 2    | ((monitor\$4 measur\$5) with (router parameter performanc\$4 server node device)) and ((measur\$5 value character\$5 tim\$4 timestamp\$4 code) with compar\$4 with (table list listing database)) same (unchang\$4 with (delet\$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code)) | US-PGPUB; USPAT                             | OR | ON | 2008/12/07 13:54 |
| L23 | 5    | ((measur\$5 value character\$5 tim\$4 timestamp\$4 code) with compar\$4 with (table list listing database)) same (unchang\$4 with (delet\$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))   | US-PGPUB; USPAT                             | OR | ON | 2008/12/07 13:55 |
| L24 | 23   | 709/223-224.ccls. and (measur\$5 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with aggregat\$4) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4))                | US-PGPUB; USPAT                             | OR | ON | 2008/12/07 14:55 |
| S1  | 2    | "20050132031"   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/05 16:09 |
| S2  | 2    | "20050132031" and (fingerprint\$4 (finger adj3 print\$4))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/05 16:10 |
| S3  | 5250 | ("713"/\$ "725"/\$ "709"/\$).ccls. and (fingerprint\$4 (finger adj3 print\$4))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/05 16:44 |
| S4  | 724  | ("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performanc\$4 server node device)) and (fingerprint\$4 (finger adj3 print\$4))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/05 16:44 |
| S5  | 128  | ("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performanc\$4 server node device)) same (fingerprint\$4 (finger adj3 print\$4))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/05 16:44 |

## EAST Search History

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S6  | 184 | ("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performanc\$4 server node device)) and (fingerprint\$4 (finger adj3 print\$4)) and aggregat\$4  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/05 16:45 |
| S7  | 22  | ("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performanc\$4 server node device)) and ((fingerprint\$4 (finger adj3 print\$4)) same aggregat\$4)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/05 16:45 |
| S8  | 8   | ("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performanc\$4 server node device)) and (watermark\$4 same aggregat\$4)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/05 17:26 |
| S9  | 226 | ("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performanc\$4 server node device)) and ((id identification) same aggregat\$4)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 15:18 |
| S10 | 114 | ("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performanc\$4 server node device)) and ((id identification) with aggregat\$4)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 15:19 |
| S11 | 105 | "709"/\$.ccls. and (measur\$4 with (parameter performanc\$4 server node device)) and ((id identification) with aggregat\$4)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 15:19 |
| S12 | 68  | ("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performanc\$4 server node device)) and ((id identification) with aggregat\$4) and ((updat\$4 new) with (parameter measur\$5 performanc\$4 value)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 15:21 |
| S13 | 25  | ("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with environment) and ((id identification) with aggregat\$4) and ((updat\$4 new) with (parameter measur\$5 performanc\$4 value))                                  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 15:24 |
| S14 | 7   | ("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with environment) and (fingerprint\$4 with aggregat\$4) and ((updat\$4 new) with (parameter measur\$5 performanc\$4 value))                                       | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 15:24 |

## EAST Search History

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S15 | 116 | (measur\$4 with (parameter performanc\$4 server node device)) and ((fingerprint\$4 (finger adj3 print\$4)) same aggregat\$4) not ("713"/\$ "725"/\$ "709"/\$).ccls.   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 18:29 |
| S16 | 54  | (measur\$4 with (parameter performanc\$4 server node device)) and ((fingerprint\$4 (finger adj3 print\$4)) with aggregat\$4) not ("713"/\$ "725"/\$ "709"/\$).ccls.   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 18:29 |
| S17 | 162 | (measur\$4 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with aggregat\$4) and ((send\$4 transmi\$5 forward\$4 transfer\$4) with aggregat\$4)                    | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 18:36 |
| S18 | 49  | "709"/\$.ccls. and (measur\$4 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with aggregat\$4) and ((send\$4 transmi\$5 forward\$4 transfer\$4) with aggregat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 18:36 |
| S20 | 3   | "709"/\$.ccls. and (measur\$4 with performanc\$4 with environment) and ((id identification address) with aggregat\$4) and ((send\$4 transmi\$5 forward\$4 transfer\$4) with aggregat\$4)                                  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 18:39 |
| S21 | 6   | (measur\$4 with performanc\$4 with environment) and ((id identification address) with aggregat\$4) and ((send\$4 transmi\$5 forward\$4 transfer\$4) with aggregat\$4)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 18:39 |
| S22 | 9   | (measur\$4 with performanc\$4 with environment) and ((id identification address) with aggregat\$4)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 18:39 |
| S23 | 107 | "709"/\$.ccls. and (measur\$4 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with aggregat\$4)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 18:43 |
| S24 | 85  | "709"/\$.ccls. and (measur\$4 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with (aggregate aggregated aggregating))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/06 18:43 |